12559RF9

DUE DATE

ACTION		
DIST.	LTR	ENC
BERMAN, H.S.		
CARNIVAL, G.J.		
COPP, R.D.		
CORDOVA, R.C.		
DAVIS, J.G.		_
FERRERA, D.W.		
FRANZ, W.A.		
HANNI, B.J.	_	_
HEALY, T.J.		
HEDAHL, T.G. HILBIG, J.G.		_
HILBIG, J.G.	_	
HUTCHINS, N.M. KELL, R.E.	_	
KELL, H.E.		_
KIRBY, W.A. KUESTER, A.W.	Н	
MAHAFFEY, J.W.	Н	
MAKIN U.D	-	
MANN, H.P. MARX, G.E.	_	-
MCKENNA, F.G. MORGAN, R.V. PIZZUTO, V.M.	Н	-
MORGAN R V		-
PIZZUTO V M	Н	
		-
SANDLIN, N.B.		_
SATTERWHITE, D.G		
SCHUBERT, A.L.	_	
SETLOCK, G.H.		
STIGER, S.G.	X	
SULLIVAN, M.T.		
SWANSON, E.R.		
WILKINSON, R.B.		
WILSON, J.M.		
Schubbe D	∇	
7 7	17.2	_



Department of Energy

ROCKY FLATS OFFICE P.O. BOX 928 GOLDEN, COLORADO 80402-0928 Jun 27

3 40 77 181

JUN 2 4 1992

194-DOE-07038

Mr. Martin Hestmark U. S. Environmental Protection Agency, Region VIII ATTN: Rocky Flats Project Manager, 8HWM-RI 999 18th Street, Suite 500, 8WM-C Denver, Colorado 80202-2405

Mr. Gary Baughman Hazardous Waste Facilities Unit Leader Colorado Department of Health 4300 Cherry Creek Drive South Denver, Colorado 80222-1530

Gentlemen:

The Department of Energy Rocky Flats Field Office (RFFO) submitted the Draft Record of Decision (ROD) and Final Responsiveness Summary for Rocky Flats Operable Unit 16, the Low Priority Sties, to your respective agencies on April 29, 1994, ahead of the Interagency Agreement scheduled delivery date. On May 27, 1994, RFFO sent a letter (94-DOE-06113) to you requesting any regulatory comments on the Draft ROD by June 10, 1994. The RFFO has yet to receive either comments or approval.

Please provide any comments you may have to Robert H. Birk of my staff. Mr. Birk's phone number is 966-5921.

Sincerely,

CORRES CONTROL X ADMN RECORD/080 PATS/T130G

Steven W. Slaten

IAG Project Coordinator

Reviewed for Addressee Corres. Control RFP

Ref Ltr. #

DOE ORDER # 54/00.

A. Rampertaap, EM-453, HO

M. Silverman, OOM, RFFO

L. Smith, OOM, RFFO B. Brainard-Jordan, OCED, RFFO

B. Birk, ER, RFFO

A. Duran, EPA

J. Swanson, CDDH

S. Stiger, EG&G D. Schubbe, EG&G

Admin. Records